

## GETAC X600 FULLY RUGGED NOTEBOOK ACCESSORY SPEC BROCHURE



Getac USA 15495 Sand Canyon Ave. Suite 350 Irvine, CA 92618 Tel : 949-681-2900 GetacSales\_US@getac.com I www.getac.com/us/

### YOUR FULLY-RUGGED MOBILE WORKSTATION

Copyright © 2022 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved.

## BACKPACK

### **FEATURES & BENEFITS**

Constructed of durable Nylon, and featuring an adjustable padded shoulder strap, this backpack provides sturdy protection for your fully rugged notebook while giving maximum comfort. The functional pockets inside offer the optimal solution to transport the notebook and needed accessories together in one case, delivering extra convenience to mobile professionals.

#### **Product Information**

Dimensions : 450 x 330 x 230mm Main Material : Nylon 1000D

#### **SKU ID**

GMBPX1





## **SPARE MAIN BATTERY**

### **FEATURES & BENEFITS**

Getac Spare Main Battery is designed to provide the main power source for your device when the AC adapter is not connected / charged.

#### **Product Information**

Battery type : Lithium-ion Cell designation : 3S2P Output Voltage : 10.8V Capacity : 6900mAh Battery Dimensions and Weight : L 142.1 x W 72 x H 20.1mm, 350g

#### **SKU ID**

GBM6X8





## **EXTERNAL DUAL BAY BATTERY CHARGER**

### **FEATURES & BENEFITS**

#### **Product Information**

AC Input : 100V~240V DC Output : 13.05V, 2.4A Max. Number of charge bay : 2 Bay Dimensions : L 160 x W 180 x H 72.5mm Weight : 1.2kg

#### **SKU ID**

GCMCEJ (EU Power Cord) GCMCUJ (US Power Cord) GCMCKJ (UK Power Cord) GCMCAJ (AU Power Cord) GCMCCJ (CHN Power Cord) GCMCTJ (TW Power Cord)





## **150W AC ADAPTER**

### **FEATURES & BENEFITS**

This adapter is designed to power the notebook and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your designated country.

#### **Product Information**

Input Voltage : 100V-240V AC Output Voltage : 19VDC Output Current : Max 7.89A, 150W Adapter Dimensions & Weight : L 151.3 x W 75.6 x H 25.4mm, 485g Adapter Output Cord Length : 1800mm Adapter Power Supply Cord Length : 1830mm

#### **SKU ID**

GAA1E3 (EU Power Cord) GAA1U3 (US Power Cord) GAA1K3 (UK Power Cord) GAA1A3 (AU Power Cord) GAA1C3 (CHN Power Cord) GAA1T3 (TW Power Cord) GAA1I3 (IN Power Cord)





## **230W AC ADAPTER**

### **FEATURES & BENEFITS**

This adapter is designed to power the notebook and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your designated country.

#### **Product Information**

Input Voltage : 100V-240V AC Output Voltage : 19.5VDC Output Current : Max 11.79A, 230W Adapter Dimensions & Weight : L 177 x W 86 x H 32.2mm, 650g Adapter Output Cord Length : 1500mm Adapter Power Supply Cord Length : 1800mm

#### **SKU ID**

GAA8E1 (EU Power Cord) GAA8U1 (US Power Cord) GAA8K1 (UK Power Cord) GAA8A1 (AU Power Cord) GAA8C1 (CHN Power Cord) GAA8T1 (TW Power Cord) GAA8I1 (IN Power Cord)





## 230W MIL-STD-461 AC ADAPTER

### **FEATURES & BENEFITS**

The 230W MIL-STD-461 AC adapter has passed the military standard and testing specification to ensure the conducted emissions (CE), conducted susceptibility (CS), radiated emissions (RE), and radiated susceptibility (RS) of the adapter can meet the requirements for the control of electromagnetic interference.

#### **Product Information**

Input Voltage : 100V-240V AC Output Voltage : 19.5VDC Output Current : Max 11.8A (230W) Adapter Dimensions and Weight : L 256 x W 98 x H 57mm, 1.9kg Adapter Output Cord Length : 1530mm Adapter Power Supply Cord Length : 1800mm 230W MIL-STD-461 AC adapter is designed to charge single device at a time only.

#### **SKU ID**

GAAGE6 (EU Power Cord) GAAGU6 (US Power Cord) GAAGK6 (UK Power Cord) GAAGA6 (AU Power Cord) GAAGC6 (CHN Power Cord) GAAGT6 (TW Power Cord)





## **230W DC-DC VEHICLE ADAPTER**

## **FEATURES & BENEFITS**

The 230W vehicle adapter is configured with bare wires, providing ease of hardwired installation to your vehicle, so you can power your device on the go.

#### **Product Information**

Input Voltage : 11VDC~ 16VDC for 12V system and 22VDC~36VDC for 24V system Output Voltage : 19VDC Output current : 12.1A Max. Adapter Dimensions : L 280 x W 75 x H 49mm Input cable length : 1900mm Output cable length : 1530mm

#### **SKU ID**

GAD5X2 (Bare Wire Version)





# **CAPACITIVE STYLUS PEN & TETHER**

### **FEATURES & BENEFITS**

This capacitive hard tip stylus is lightweight and easy to control, allowing smooth and comfortable interaction with the touch screen without worrying about scratching the screen or leaving fingerprints on it. The stylus comes with a detachable tether to keep the stylus attached to the device, so it doesn't get lost or misplaced.

#### **Product Information**

Stylus Dimensions : 111mm ; Ø9mm Tip size : 3.8mm ; Ø3.5mm Tether Length : 304mm

#### **SKU ID**

GMPSXE





# **LCD SCREEN PROTECTION FILM**

### **FEATURES & BENEFITS**

This screen protection film is cut precisely to fit the device and is easy to install and remove without leaving a sticky residue. With anti-glare coating, it not only protects the screen from the rigors of daily use but also help diffuses light on the screen and reduces glare, providing effortless readability for displayed information under common ambient lighting conditions.

#### **Product Information**

Dimensions : L 345.7 x W 195.3mm Main Material : PET

#### **SKU ID**

GMPFXU





# **OFFICE DOCK WITH AC ADAPTER**

### **FEATURES & BENEFITS**

The Getac office dock brings out multiple I/O ports for connecting essential peripheral devices in the office environment. Through the integrated ethernet, HDMI, or USB connections, users can quickly collect and synchronize field data with central offices for real-time reporting and analytics.

#### **Product Information**

Dimensions : L 459.6 x W 176.4 x H 71.3mm \* w/o 230W AC Adapter I/O Ports : DC in Jack x 1 , Audio output x 1, Microphone x1, USB 2.0 x 2, USB 3.0 x 3, LAN x 2, HDMI x 1, VGA x 1, Display port x 1, Serial Port x 1, Kensington lock x 1

#### **SKU ID**

GDODE9 (EU Power Cord) GDODU9 (US Power Cord) GDODK9 (UK Power Cord) GDODA9 (AU Power Cord) GDODC9 (CHN Power Cord) GDODI9 (IN Power Cord)





## **SPARE MAIN STORAGE**

### **FEATURES & BENEFITS**

Getac Spare Main Storage with canister is designed to provide you the ease of installation and allow you to remove your confidential data when your device is sent for service.

#### **Product Information**

Capacity : PCle 512GB/1TB Dimension : L 110.8 x W 30.2 x H 5.7mm Weight : 37.8g

#### **SKU ID**

GSSFX7 (512GB PCIe SSD) GSSGX7 (1TB PCIe SSD)



